

ProQuest Search:

(select? or choos?) w/4 server w/4 (based or according) w/4 (address or location or zip or region or locale or cookie)

(select? or choos?) w/4 server w/4 (address or location or zip or region or locale or cookie)

(select? or choos? or request\$3) w/5 server w/5 (according or based or depending) w/5 (address or location or zip or region or locale or cookie)

(select? or choos? or request\$3) w/5 server w/5 cookie

IEEE Search:

(select* or choos* or request*) <near/5> server <near/5> cookie

server and cookie

(select* or choos* or request*) <near/4> server <near/4> (address or location or zip or region or locale or cookie)

	L #	Hits	Search Text	DBs
1	L1	14224	select\$4 near3 server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	L2	201	1 with (user near4 (preference or profile))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	L3	11523	(profile or preference) near5 (location or address or time adj zone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L4	37826	user near3 (id or identification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	L5	117	2 and (3 or 4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L6	1092	(user or client) near6 (send\$3 or provid\$3 or submit\$3) near5 (id or identification) with request\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	L7	3	5 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	L8	20	5 and cookie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	L9	15	(7 8) and (@ad<20000929 or @prad<20000929)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	L10	4617	(select\$4 near3 server).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	L12	19	10 and edge near3 (server or site)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	L11	11	10 and cookie and multimedia	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	L13	7664	select\$4 adj3 server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	L14	2968	(select or selecting) adj3 server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	L15	176	((select or selecting) adj3 server).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	L16	39	14 and user near2 (profile or preference) and cookie and (multimedia or streaming)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
17	L17	31	14 and user near2 (profile or preference) and cookie and (multimedia or streaming) and (user with (id or identification))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	L18	20	(17) and (@ad<20000929 or @prad<20000929)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	L19	18008	(select\$4 or choos\$4) near4 server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	L20	690	19 with (user near4 (id or identification or location or address or preference or profile))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	L21	1131	709/226.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	L22	9	20 and 21	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	L23	3903	709/203.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	L24	59	20 and 23	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	L25	32	(22 24) and (@ad<20000929 or @prad<20000929)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	L26	34	web adj page and server and internet and hyperlink and @ad<19960101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	L27	151	web adj page and server and internet and hyperlink and @pd<19990929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	L28	24	27 and user adj (profile or preferences)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	L29	114	1 near5 (user near4 (preference or profile))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	L30	45	(29) and (@ad<20000929 or @prad<20000929)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
1	L1	60	online near2 shopping and cookie and (register or registration) same number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	L2	26	online near2 shopping and cookie same ((id or identification) near3 number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	L3	17	online near2 shopping and cookie same ((user or viewer or client) near3 (address or location))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L4	34	cookie with ((id or identification) near3 number) and cookie with (address or location) same (user or client or server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	L5	84	(select\$4 near5 server) with cookie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L7	33	5 and (@prad<20000929 or @ad<20000929)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	L6	19	4 and (@prad<20000929 or @ad<20000929)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	L8	24	(global or unique) near5 ((id or identification) near3 number) with cookie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	L9	2	6374300.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	L10	0	9 and ethernet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

ProQuest Search

software w/6 mail?

software w/6 mail? and advertis?

distribut? w/8 (software or browser) w/6 mail?

isp w/6 (ship? or send?) w/6 (cd or disk or software or browser) w/6 (mail or postal)

(isp or "service provider" or aol or compuserve) w/6 (ship? or send?) w/6 (cd or disk or software or browser) w/6 (mail or postal)

junk w/2 mail w/10 (software or cd)

junk w/2 mail w/10 (software or cd) and (postage or postal or post)

(send? or receiv?) w/8 cd w/8 (mail or mailbox or post or postage or postal)